

Optically Clear PET with removable PSA

This optically clear PET film is compatible with water-based inks.
Ideal for interior applications to smooth surfaces.

Features

- Removable & Repositionable PSA
- Applied to flat surfaces
- Wet application



Specifications



Length (ft)	100	Width (inch)	24"/36"/54"
Total Weight (g/m²)	180 (± 15)	Base weight (g/m²)	100 (± 5)
Total caliper (mil)	5.3	Base caliper (mil)	3
Peel Strength (180°, gf/25mm)*	50≥	Inner Core (inch)	3

Applications

- Point of Sale, Point of Purchase Displays, Decals, Posters

General Information

- Printing Temp : Temperature 15 ~ 30°C (59 ~ 86 °F) / Humidity 30 ~ 60%
- Lamination : Optional
- Storage : Temperature 10 ~ 30°C (50 ~ 77 °F) / Relative Humidity 50%**
- Shelf Life : One year, stored in original packing at recommended temperature
- (Coating warranty guaranteed for 6 months from date of purchase)

*Cautions

- ✓ Wet application with soft squeegee recommended.
- ✓ It may be curled after HP Latex printing, recommended to develop your own HP latex profile.
- ✓ Recommended to clean the mounting object before applying the film.
- ✓ Low temperatures may affect the adhesive strength.
- ✓ Due to adhesive, there may be some residue left behind when removing the media depending on the substrate.
- ✓ Recommended to test prior to use.

**Storage

- ✓ Maintain the recommended temperature and humidity.
- ✓ If only partial roll is used, store the remaining roll in the original package inside the sleeve along with the silica gel packet.



SOUTH KOREA (H.Q)
6F KAMCO TOWER, 262 GANGNAM-DAERO,
GANGNAM-GU, SEOUL, KOREA, 06265
SALES@NATURAMEDIA.CO.KR
TEL: +82-2-3788-0365

EUROPE
RUE DES DROITS DE L'HOMME
2,7000 MONS, BELGIUM
JH.HONG@EUROCOBUSINESS.COM
TEL : +32-65-321-562

USA
1750 LAKES PKWY
LAWRENCEVILLE, GA 30043
SALES@NATURAMEDIA.US
TEL: +1-470-359-2111

Information provided here is subject to our test criteria and subject to change without prior notice. No media warranty is implied.
All material should be tested by purchaser to determine final suitability. Printer and ink change may affect results.