

SOLVENT-BASED MEDIA

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper (µm) (mil)	Wt. (g/m ²)	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe -sive	Latex Ink	UV Ink
PAPER	AE100	ECO-SOL ARTIST PAPER GLOSSY 230	195	7.8	230	164"	54", 60"	3"	PAPER	Resin	Glossy	★	★
	AE110	ECO-SOL ARTIST PAPER MATTE 230	195	7.8	230	164"	54", 60"	3"	PAPER	Resin	Matte	★	★
PHOTO PAPER	SO110	SOLVENT GLOSSY PHOTO PAPER 235	225	9.0	235	100"	54", 60"	3"	Resin Coated Paper	Resin	Glossy	★	★
	SO220	SOLVENT SATIN PHOTO PAPER 235	225	9.0	235	100"	54", 60"	3"	Resin Coated Paper	Resin	Satin	★	★
DISPLAYING FILM	SO400	ECO-SOL BLOCK OUT BANNER MATTE 340	340	13.6	420	100"	36", 54", 60"	3"	PET&PP	Resin	Semi-matte	★	★
	SO420	SOLVENT BLOCK OUT BANNER MATTE 250	240	9.6	220	100"	36", 54", 60"	3"	PET&PP	Resin	Semi-matte	★	★
	SO470	SOLVENT ROLL UP BANNER GLOSSY	160	6.4	225	100"	36", 50"	3"	WHITE PET	Resin	Glossy	★	★
	SO480	SOLVENT ROLL UP BANNER MATTE	160	6.4	225	100"	36", 50"	3"	WHITE PET	Resin	Matte	★	★
	SO490	SOLVENT SMOOTH ROLL UP BANNER MATTE	205	8.2	155	100"	36", 50", 60"	3"	PP	Resin	Semi-matte	★	★
	SO490W	SOLVENT SMOOTH ROLL UP BANNER MATTE WHITE	205	8.2	155	100"	36", 50", 60"	3"	PP	Resin	Semi-matte	★	★
	SO510	SOLVENT PP BANNER MATTE	195	7.8	140	100"	36", 54", 60"	3"	PP	Resin	Semi-matte	★	★
	DES410T	DURATIN BLOCK OUT BANNER 350	360	14.4	440	100"	36", 42"	3"	PET&PP	Scratch Resistant (SR)	Semi-glossy	★	★
	ES420	DURATIN BLOCK OUT ROLL UP BANNER	260	10.4	240	100"	36", 42"	3"	PET&PP		Semi-glossy	★	★
	ES500	DURATIN SYNTH ROLL UP BANNER	215	8.6	175	100"	36", 42"	3"	PP		Semi-glossy	★	★
	BACKLIT	BA960	HI SMOOTH BLOCKOUT 250	250	10.0	350	100"	42", 54"	3"	PVC/PET	Resin	Matte	★
SO600		SOLVENT BACKLIT 200 MATTE	205	8.2	275	100"	36", 54", 60", 72", 87"	3"	PET	Resin	Matte	★	★
SO650		SOLVENT BACKLIT 200 GLOSSY	205	8.2	275	100"	36", 54", 60", 72", 87"	3"	PET	Resin	Glossy	★	★
SO800W		ECO SOL CLEAR PET BACKLIT	205	8.2	275	100"	54", 60"	3"	PET	Resin	Glossy	★	★
SO800W(A)		ECO SOL CLEAR PET BACKLIT (Back side anti-scratch)	215	8.6	285	100"	54", 60"	3"	PET	Resin	Glossy	★	★
PREMIUM BACKLIT	ES680	ECO-SOL BACKLIT GLOSSY	210	8.4	285	100"	36", 54", 60"	3"	PET	Resin	Glossy	★	★
	ME5680	T-U BACKLIT GLOSSY	230	9.2	295	100"	36", 54", 60"	3"	PET	Resin	Glossy	★	★
WINDOW FILM	SO820ST	SOLVENT SILICONE ADHESIVE CLEAR PET FILME	180	7.2	235	100"	50", 60"	3"	PET	Resin	Glossy	✓	★
	SO820WST	SOLVENT SILICONE ADHESIVE WHITE PET FILM	190	7.6	240	100"	50", 60"	3"	PET	Resin	Semi-matte	✓	★
	SO830T	SOLVENT SEMI-TAC ADHESIVE CLEAR FILM	180	7.2	235	100"	50", 60"	3"	PET	Resin	Glossy	✓	★
	WF200	MICRO-TAC WHITE FILM AIR FREE	200	8.0	275	100"	50", 54"	3"	PP	Resin	Semi-matte	✓	★
	ESWF200	DURATIN WIPEABLE PP FLAT ON SOLVENT	220	8.8	275	100"	50", 54"	3"	PP	SR	Semi-glossy	✓	★
	SO830H	OPTICAL CLEAR FLAT-ON DECO (NEW)	202	8.1	270	100"	54"	3"	PET	Resin	Glossy	✓	★
SPECIALTY	WF400	WHITE FLAT-ON DECO (REPOSITIONABLE) (NEW)	260	10.4	265	100"	54"	3"	pp	Resin	Matte	✓	★
	ZSO550	FLAT DOT GLOSSY VINYL AIR FREE	145	5.8	245	164"	54"	3"	VINYL	Resin	Glossy	✓	★
	ZSO560	FLAT DOT MATTE VINYL AIR FREE	145	5.8	245	164"	54"	3"	VINYL	Resin	Matte	✓	★
	ZSO580	FLAT DOT CLEAR VINYL AIR FREE	145	5.8	245	164"	54"	3"	VINYL	Resin	Glossy	✓	★
	SO800	ECO-SOL CLEAR POLYESTER FILM	125	5.0	165	100"	36", 54", 60"	3"	PET	Resin	Clear	★	★
	SM100	METALLIC FILM SA (NEW)	150	6.0	190	100"	36", 50", 60"	3"	PET	Resin	Metallic	✓	★
	TEXTILE	ST600	ECO-SOL EASY TEX SA	310	12.4	285	100"	54", 60"	3"	PET Woven Fabric	Resin	Matte	✓
ST600G		ECO-SOL EASY TEX SA (GREY)	330	13.2	320	100"	54", 60"	3"	PET Woven Fabric	Resin	Matte	✓	★
CANVAS	SCSM	POLY/COTTON SEMI-MATTE CANVAS	387	15.5	353	75'	36", 54", 60", 72"	3"	POLY/COTTON	Resin	Semi-matte	★	★

WATER-BASED MEDIA (Aqueous-Base)

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper (µm) (mil)	Wt. (g/m ²)	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe -sive	Latex Ink	UV Ink
PHOTO PAPER	PH300	M/P PREMIUM GLOSSY PHOTO PAPER 265	260	10.4	265	100"	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy	★	★
	PH400	M/P PREMIUM SATIN PHOTO PAPER 265	260	10.4	265	100"	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin	★	★
	PH500	M/P PREMIUM GLOSSY PHOTO PAPER 240	250	10.0	240	100"	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy	★	★
	PH600	M/P PREMIUM SATIN PHOTO PAPER 240	250	10.0	240	100"	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin	★	★
	PH700	M/P PREMIUM GLOSSY PHOTO PAPER 190	186	7.4	191	100"	42" or 44", 60"	3"	Resin Coated Paper	M/P	Glossy	★	★
	PH710	M/P PREMIUM SATIN PHOTO PAPER 190	192	7.7	191	100"	42" or 44", 60"	3"	Resin Coated Paper	M/P	Satin	★	★
	PH730	M/P GLOSSY ADHESIVE PHOTO PAPER 190	259	10.4	280	100"	42" or 44", 60"	3"	Resin Coated Paper	M/P	Glossy	✓	★
	PH740	M/P SATIN ADHESIVE PHOTO PAPER 190	265	10.6	280	100"	42" or 44", 60"	3"	Resin Coated Paper	M/P	Satin	✓	★
DISPLAYING FILM	BA100	BLOCK OUT BANNER 250	250	10.0	215	100"	36", 42", 50", 60"	3"	PET & PP	Porous	Matte	★	★
	BA130	BLOCK OUT BANNER 350	350	14.0	410	100"	36", 60"	3"	PET & PP	Porous	Satin	★	★
	BA140	M/P BLOCK OUT BANNER GLOSSY	350	14.0	410	100"	36", 60"	3"	PET & PP	M/P	Glossy	★	★
	BA300	M/P ROLL UP BANNER	170	6.8	225	100"	36", 42", 50"	3"	White PET	M/P	Glossy	★	★
	BA400	ROLL UP BANNER MATTE	168	6.7	215	100"	36", 42", 50"	3"	White PET	Porous	Matte	★	★
	BA500	SMOOTH ROLL UP BANNER MATTE	205	8.2	155	100"	36", 42", 50", 60"	3"	PP	Porous	Matte	★	★

Category	Code	Product Description	Caliper (µm)	(mil)	Wt. (g/m ²)	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe -sive	Latex Ink	UV Ink
	PH900	PP BANNER MATTE 205	205	8.2	130	100'	36", 42", 50", 60"	3"	PP	Porous	Matte		★	★
	PMB600	M/P PHOTO PP GLOSSY 205	205	8.2	145	100'	36", 50", 60"	3"	PP	Porous	Glossy			
BACKLIT	BF600	BACKLIT FRONT MATTE WR 215	215	8.6	270	100'	36", 42", 50", 54", 60"	3"	PET	Porous	Matte		★	★
	BF700	M/P BACKLIT FRONT GLOSSY 215	215	8.6	285	100'	36", 50", 60"	3"	PET	M/P	Glossy			
PSA (SELF ADHESIVE)	SE300	CLEAR ADHESIVE PP MATTE	195	7.8	182	100'	24", 36", 42", 50", 60"	3"	PP	Porous	Matte	√	★	★
	SE310	M/P CLEAR ADHESIVE PP GLOSSY	232	9.3	225	100'	24", 36", 42", 50", 60"	3"	PP	M/P	Glossy	√	★	★
	SE500	CLEAR ADHESIVE PVC VINYL MATTE	340	13.6	370	100'	24", 36", 42", 50", 60"	3"	PVC	Porous	Matte	√	★	★
TEXTILE	WT600	EASY TEX SA	305	12.2	275	100'	36", 42", 60"	3"	PET Woven Fabric	Porous	Matte	√	★	★
	WT600G	EASY TEX SA (GREY)	330	13.2	315	100'	36", 42", 60"	3"	PET Woven Fabric	Porous	Matte	√	★	★
CANVAS	WCSM	18mil Poly/Cotton Matte Canvas	450	18.0	380	40'	17", 24", 36", 44", 60"	3"	POLY/COTTON	Porous	Semi-matte			

■ LATEX MEDIA (HP latex ink based)

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper (µm)	(mil)	Wt. (g/m ²)	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe -sive	Latex Ink	UV Ink
PAPER	AE100	ECO-SOL ARTIST PAPER GLOSSY 230	195	7.8	230	164	54", 60"	3"	PAPER	Resin	Glossy		Profile	★
	AE110	ECO-SOL ARTIST PAPER MATTE 230	195	7.8	230	164	54", 60"	3"	PAPER	Resin	Matte		Profile	★
PHOTO PAPER	SO110	SOLVENT GLOSSY PHOTO PAPER 235	225	9.0	235	100'	54", 60"	3"	Resin Coated Paper	Resin	Glossy		★	★
	SO220	SOLVENT SATIN PHOTO PAPER 235	225	9.0	235	100'	54", 60"	3"	Resin Coated Paper	Resin	Satin		★	★
	PH500	M/P PREMIUM GLOSSY PHOTO PAPER 240	250	10.0	240	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy		★	★
	PH600	M/P PREMIUM SATIN PHOTO PAPER 240	250	10.0	240	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin		★	★
	PH700	M/P PREMIUM GLOSSY PHOTO PAPER 190	186	7.4	191	100'	42" or 44", 60"	3"	Resin Coated Paper	M/P	Glossy		★	★
	PH710	M/P PREMIUM SATIN PHOTO PAPER 190	192	7.7	191	100'	42" or 44", 60"	3"	Resin Coated Paper	M/P	Satin		★	★
	PH730	M/P GLOSSY ADHESIVE PHOTO PAPER 190	259	10.4	280	100'	42" or 44", 60"	3"	Resin Coated Paper	M/P	Glossy	√	★	★
	PH740	M/P SATIN ADHESIVE PHOTO PAPER 190	265	10.6	280	100'	42" or 44", 60"	3"	Resin Coated Paper	M/P	Satin	√	★	★
DISPLAYING FILM	SO400	ECO-SOL BLOCK OUT BANNER MATTE 340	340	13.6	420	100'	36", 54", 60"	3"	PET&PP	Resin	Matte		Certif	★
	SO420	SOLVENT BLOCK OUT BANNER MATTE 250	240	9.6	220	100'	36", 54", 60"	3"	PET&PP	Resin	Matte		Certif	★
	SO480	SOLVENT ROLL UP BANNER MATTE	160	6.4	225	100'	36", 50"	3"	WHITE PET	Resin	Matte		★	★
	SO490	SOLVENT SMOOTH ROLL UP BANNER MATTE	205	8.2	155	100'	36", 50", 60"	3"	PP	Resin	Matte		Certif	★
	SO490W	SOLVENT SMOOTH ROLL UP BANNER MATTE WHITE	205	8.2	155	100'	36", 50", 60"	3"	PP	Resin	Matte		Certif	★
	SO510	SOLVENT PP BANNER MATTE	195	7.8	140	100'	36", 54", 60"	3"	PP	Resin	Semi-matte		★	★
	BA100	BLOCK OUT BANNER 250	250	10.0	215	100'	36", 42", 50", 60"	3"	PET & PP	Porous	Matte		Certif	★
	BA130	BLOCK OUT BANNER 350	350	14.0	410	100'	36", 60"	3"	PET & PP	Porous	Satin		Certif	★
	BA400	ROLL UP BANNER MATTE	168	6.7	215	100'	36", 42", 50"	3"	White PET	Porous	Matte		★	★
	BA500	SMOOTH ROLL UP BANNER MATTE	205	8.2	155	100'	36", 42", 50", 60"	3"	PP	Porous	Matte		★	★
	PH900	PP BANNER MATTE 205	205	8.2	130	100'	36", 42", 50", 60"	3"	PP	Porous	Matte		★	★
	DES410T	DURATIN BLOCK OUT BANNER 350	360	14.4	440	100'	36", 42"	3"	PET&PP	Scratch Resistant (SR)	Semi-glossy		★	★
	ES420	DURATIN BLOCK OUT ROLL UP BANNER	260	10.4	245	100'	36", 42"	3"	PET&PP		Semi-glossy		Certif	★
	ES500	DURATIN SYNTH ROLL UP BANNER	205	8.2	170	100'	36", 42"	3"	PP		Semi-glossy		Certif	★
	BA960	HI-SCRIM VINYL 250	250	10.0		100'	36", 42", 50", 54", 60"	3"	PVC/PET	Resin	Matte		★	★
BACKLIT	SO600	SOLVENT BACKLIT 200 MATTE	205	8.2	275	100'	36", 54", 60", 72", 87"	3"	PET	Resin	Matte		Certif	★
	BF600	BACKLIT FRONT MATTE WR 215	215	8.6	270	100'	36", 42", 50", 54", 60"	3"	PET	Porous	Matte		Profile	★
	ES690	GREEN BACKLIT	210	8.4	285	100'	54", 60"	3"	PET	Resin	Semi-glossy		Certif	★
	TEU330	UV SKY BACKLIT	185	7.4	255	164'	36", 54", 60", 87"	3"	PET	UV	Matte		Certif	★
	SO650	SOLVENT BACKLIT 200 GLOSSY	205	8.2	275	100'	36", 54", 60", 72", 87"	3"	PET	Resin	Glossy		Profile	★
	ES680	ECO-SOL BACKLIT GLOSSY	210	8.4	285	100'	36", 54", 60"	3"	PET	Resin	Glossy		Profile	★
	SO800W	ECO SOL CLEAR PET BACKLIT	205	8.2	275	100'	50", 60"	3"	PET	Resin	Glossy		Certif	★
	SO800W(A)	ECO SOL CLEAR PET BACKLIT (Back side anti-scratch)	215	8.6	285	100'	54", 60"	3"	PET	Resin	Glossy		★	★
PSA (SELF ADHESIVE)	SE300	CLEAR ADHESIVE PP MATTE	195	7.8	182	100'	24", 36", 42", 50", 60"	3"	PP	Porous	Matte	√	★	★
	SE310	M/P CLEAR ADHESIVE PP GLOSSY	232	9.3	225	100'	24", 36", 42", 50", 60"	3"	PP	M/P	Glossy	√	★	★
	SE500	CLEAR ADHESIVE PVC VINYL MATTE	340	13.6	370	100'	24", 36", 42", 50", 60"	3"	PVC	Porous	Matte	√	★	★
WINDOW FILM	SM100	METALLIC FILM SA (NEW)	150	6.0	190	100'	36", 50", 60"	3"	PET	Resin	Metallic	√	★	★
	SO820ST	SOLVENT SILICONE ADHESIVE CLEAR PET FILME	185	7.4	235	100'	50", 54"	3"	PET	Resin	Glossy	√	Profile	★
	SO820WST	SOLVENT SILICONE ADHESIVE WHITE PET FILM	190	7.6	240	100'	50", 54"	3"	PET	Resin	Semi-matte	√	Profile	★
	SO830T	SOLVENT SEMI-TAC ADHESIVE CLEAR FILM	205	8.2	270	100'	50", 54", 60"	3"	PET	Resin	Glossy	√	Profile	★
	SO830H	OPTICAL CLEAR FLAT-ON DECO (NEW)	202	8.1	270	100'	54"	3"	PET	Resin	Glossy	√	★	★
	WF300	FROST FAT-ON DECO WINDOW MIRROR LIGHT (NEW)	150	6.0	200	100'	54"	3"	PET	Resin	Matte	√	★	★
	WF400	WHITE FLAT-ON DECO (REPOSITIONABLE) (NEW)	260	10.4	265	100'	54"	3"	pp	Resin	Matte	√	★	★
TEXTILE	WT600	EASY TEX SA	305	12.2	275	100'	36", 42", 60"	3"	PET Woven Fabric	Porous	Matte	√	★	★
	WT600G	EASY TEX SA (GREY)	330	13.2	315	100'	36", 42", 60"	3"	PET Woven Fabric	Porous	Matte	√	★	★
	ST600	ECO-SOL EASY TEX SA	345	13.8	360	100'	54", 60"	3"	PET Woven Fabric	Resin	Matte	√	★	★
	ST600G	ECO-SOL EASY TEX SA (GREY)	365	14.6	375	100'	54", 60"	3"	PET Woven Fabric	Resin	Matte	√	★	★
CANVAS	SCSM	POLY/COTTON SEMI-MATTE CANVAS	387	15.5	353	75'	36", 54", 60", 72"	3"	POLY/Cotton	Resin	Semi-matte		★	★

❖ For profile download, visit HP Media solution locator at www.hp.com/go/mediasolutionslocator and select Natura Media as a supplier.

Category	Code	Product Description	Caliper		Wt.	Length	Standard Width	Core	Base Material	Coating	Surface	Adhe	Latex	UV
			(μ m)	(mil)	(g/m ²)	(ft)	(Inch)	Inch				-sive	Ink	Ink

DURATIN MEDIA (Scratch Resistant Grade)

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt.	Length	Standard Width	Core	Base Material	Coating	Surface	Adhe	Latex	UV
			(μ m)	(mil)	(g/m ²)	(ft)	(Inch)	Inch				-sive	Ink	Ink
BANNER	DES410T	DURATIN BLOCK OUT BANNER 350	360	14.4	440	100'	36", 42"	3"	PET&PP		Semi-glossy		★	★
	ES420	DURATIN BLOCK OUT ROLL UP BANNER	260	10.4	240	100'	36", 42"	3"	PET&PP		Semi-glossy		Certif	★
	ES500	DURATIN SYNTH ROLL UP BANNER	215	8.6	175	100'	36", 42"	3"	PP		Semi-glossy		Certif	★

UV-CURABLE MEDIA

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt.	Length	Standard Width	Core	Base Material	Coating	Surface	Adhe	Latex	UV
			(μ m)	(mil)	(g/m ²)	(ft)	(Inch)	Inch				-sive	Ink	Ink
BANNER	USE100	UV BLOCK OUT BANNER MATTE 210	220	8.8	205	100'	36", 42", 50", 60"	3"	PET&PP	UV	Matte		★	★
	SK200W	SKY SMOOTH ROLL UP (Two side printable)	170	6.8	130	100'	36", 54", 63"	3"	PP	UV & LATEX	Matte		Profile	★
BACKLIT	TEU300	UV BACKLIT 180	180	7.2	230	164'	50", 54", 60"	3"	PET	UV	Matte		★	★
	TEU330	UV SKY BACKLIT	185	7.4	255	164'	36", 54", 60"	3"	PET	UV	Matte		★	★
	SH400	UV CLEAR BACKLIT	175	7.0	220	100'	60", 72"	3"	PET	UV	Matte			★
WINDOW FILM	USO850	UV SEMI-TAC CLEAR PET FILM	96	3.8	125	164'	54", 60", 61'	3"	PET	UV	Glossy	√		★
	USO850SR	UV SEMI-TAC CLEAR PET FILM SR	98	3.9	140	164'	54", 60", 61'	3"	PET	UV	Glossy	√		★
	UHR80	UV HEAT REJECTION WINDOW 80	100	4.0	125	164'	60"	3"	PET	UV	Glossy	√		★
	UHR80SR	UV HEAT REJECTION WINDOW 80 SR	102	4.1	145	164'	60"	3"	PET	UV	Glossy	√		★
	USO820ST	UV SILICONE ADHESIVE CLEAR PET FILME	160	6.4	215	100'	50", 60"	3"	PET	UV	Glossy	√		★
	USO820WST	UV SILICONE ADHESIVE WHITE PET FILM	155	6.2	220	100'	50", 54"	3"	PET	UV	Semi-matte	√		★
	WF300	WINDOW MIRROR LIGHT FILM	150	6.0	200	100'	54", 60"	3"	PET	UV & LATEX	Matte	√	★	★

❖ UV only

SKY Series (Latex/UV Only)

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt.	Length	Standard Width	Core	Base Material	Coating	Surface	Adhe	Latex	UV
			(μ m)	(mil)	(g/m ²)	(ft)	(Inch)	Inch				-sive	Ink	Ink
PSA	SK100	SKY GREEN ADHESIVE	320	12.8	305	100'	36", 50", 60"	3"	PP	LATEX & UV	Matte	√	Profile	★
BANNER	SK200/200W	SKY SMOOTH ROLL UP (Grey back/White back)	170	6.8	130	100'	36", 42", 50", 60"	3"	PP	LATEX & UV	Matte		Profile	★
	SK300	SKY BLOCK OUT 210	220	8.8	200	100'	36", 42", 50", 60"	3"	PET&PP	LATEX & UV	Matte		Profile	★
BACKLIT	TEU330	SKY BACKLIT	185	7.4	255	164'	36", 54", 60"	3"	PET	LATEX & UV	Matte		Profile	★

ⓘ This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Some of the properties can be changed as a result of supplier's effort to improve the quality or production efficiency on the subject.



Natura Media Inc. (HQ, Korea)
Tel: +82-2-3788-0396
Email: sales@naturamedia.co.kr



Natura Media USA
1505 Pavilion Place Suite D, Norcross GA 30093,
Tel: +1 (470) 359-2111, Email: sales@naturamedia.us
www.NaturaMedia.US