

## SOLVENT-BASED MEDIA

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt. (g/m <sup>2</sup> )	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe- sive	Latex Ink	UV Ink
			(µm)	(mil)										
PAPER	AE100	ECO-SOL ARTIST PAPER GLOSSY 230	195	7.8	230	164'	36", 54", 60"	3"	PAPER	Resin	Glossy		★	★
	AE110	ECO-SOL ARTIST PAPER MATTE 230	195	7.8	230	164'	36", 54", 60"	3"	PAPER	Resin	Matte		★	★
PHOTO PAPER	SO110	SOLVENT GLOSSY PHOTO PAPER 235	225	9.0	235	100'	54",60"	3"	Resin Coated Paper	Resin	Glossy		★	★
	SO220	SOLVENT SATIN PHOTO PAPER 235	225	9.0	235	100'	54",60"	3"	Resin Coated Paper	Resin	Satin		★	★
DISPLAYING FILM	BA960	HI SMOOTH BLOCKOUT 250	250	10.0	360	164'	38", 54"	3"	PVC/PET	Resin	Matte		★	★
	ES420	DURATIN BLOCK OUT ROLL UP BANNER	255	10.2	260	100'	36", 50",60"	3"	PET&PP	Resin	Satin		★	★
	ES500	DURATIN SYNTH ROLL UP BANNER	218	8.7	165	100'	36", 50"	3"	PP	Resin	Satin		★	★
	SO400	ECO-SOL BLOCK OUT BANNER MATTE 340	340	13.6	420	100'	36", 60"	3"	PET&PP	Resin	Semi-matte		★	★
	SO420	SOLVENT BLOCK OUT BANNER MATTE 250	240	9.6	220	100'	36", 50", 54", 60"	3"	PET&PP	Resin	Semi-matte		★	★
	SO470	SOLVENT ROLL UP BANNER GLOSSY	160	6.4	220	100'	36", 50"	3"	WHITE PET	Resin	Glossy		★	★
	SO480	SOLVENT ROLL UP BANNER MATTE	160	6.4	220	100'	36", 50"	3"	WHITE PET	Resin	Matte		★	★
	SO490	SOLVENT SMOOTH ROLL UP BANNER MATTE	205	8.2	155	100'	36", 50"	3"	PP	Resin	Matte		★	★
	SO490W	SOLVENT SMOOTH ROLL UP BANNER MATTE WHITE	205	8.2	155	164'	36", 50", 54", 60"	3"	PP	Resin	Matte		★	★
BACKLIT	SO510	SOLVENT PP BANNER MATTE	195	7.8	140	100'	36", 50", 54", 60"	3"	PP	Resin	Matte		★	★
	ES680	ECO-SOL BACKLIT GLOSSY	210	8.4	285	100'	36", 54", 60"	3"	PET	Resin	Glossy		★	★
	SO600	SOLVENT BACKLIT 200 MATTE	205	8.2	275	100'	36", 54", 60", 72", 87"	3"	PET	Resin	Matte		★	★
	SO650	SOLVENT BACKLIT 200 GLOSSY	205	8.2	275	164'	36", 54", 60", 72", 87"	3"	PET	Resin	Glossy		★	★
WINDOW FILM	SO800W	ECO SOL CLEAR PET BACKLIT	205	8.2	285	100'	54", 60"	3"	PET	Resin	Glossy		★	★
	SO820ST	SOLVENT SILICONE ADHESIVE CLEAR PET FILM	185	7.4	235	100'	36"	3"	PET	Resin	Glossy	√	★	★
	SO830H	OPTICALLY CLEAR FLAT-ON DECO	180	7.2	240	100'	54"	3"	PET	Resin	Clear	√	★	★
	SO830T	SOLVENT SEMI-TAC ADHESIVE CLEAR FILM	180	7.2	235	100'	50"	3"	PET	Resin	Clear	√	★	★
	ST500	HANJI TEX	225	9.0	188	100'	54"	3"	PET Woven Fabric	Resin	Semi-matte	√	★	★
	WF400	WHITE FLAT-ON DECO (REPOSITIONABLE)	260	10.4	265	100'	54"	3"	pp	Resin	Semi-matte	√	★	★
SPECIALITY	WF500	LIZARD TAC	280	11.2	220	100'	54"	3"	pp	Resin	Matte	√	★	★
	SO800	ECO-SOL CLEAR POLYESTER FILM	125	5.0	165	100'	36", 54", 60"	3"	PET	Resin	Clear		★	★
	ZSO550	FLAT DOT WHITE GLOSSY VINYL AIR FREE	280	11.2	280	164'	54"	3"	VINYL	Resin	Glossy	√	★	★
	ZSO560	FLAT DOT WHITE MATTE VINYL AIR FREE	275	11.0	280	164'	54"	3"	VINYL	Resin	Matte	√	★	★
	ZSO580	FLAT DOT CLEAR VINYL AIR FREE	275	11.0	275	164'	54"	3"	VINYL	Resin	Clear	√	★	★
TEXTILE	SM100	METALLIC FILM SA	150	6.0	190	100'	36", 60"	3"	PET	Resin	Semi-glossy	√	★	★
TEXTILE	ST600G	ECO-SOL EASY TEX SA (GREY)	330	13.2	305	100'	36", 54",60"	3"	PET Woven Fabric	Resin	Matte	√	★	★
CANVAS	SCSM	POLY/COTTON SEMI-MATTE CANVAS	388	15.5	296	75'	36", 54", 60", 72"	3"	POLY/COTTON	Resin	Semi-matte		★	★

## WATER-BASED MEDIA (Aqueous-Base)

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt. (g/m <sup>2</sup> )	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe- sive	Latex Ink	UV Ink
			(µm)	(mil)										
	PH500	M/P PREMIUM GLOSSY PHOTO PAPER 240	250	10.0	240	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy		★	★

Category	Code	Product Description	Caliper		Wt. (g/m <sup>2</sup> )	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe- sive	Latex Ink	UV Ink
			(µm)	(mil)										
PHOTO PAPER	PH600	M/P PREMIUM SATIN PHOTO PAPER 240	250	10.0	240	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin		★	★
	PH700	M/P PREMIUM GLOSSY PHOTO PAPER 190	186	7.4	190	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy		★	★
	PH710	M/P PREMIUM SATIN PHOTO PAPER 190	192	7.7	190	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin		★	★
	PH730	M/P GLOSSY ADHESIVE PHOTO PAPER 190	260	10.4	280	100'	24", 36", 42", 60"	3"	Resin Coated Paper	M/P	Glossy	√	★	★
	PH740	M/P SATIN ADHESIVE PHOTO PAPER 190	265	10.6	280	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin	√	★	★
DISPLAYING FILM	BA100	BLOCK OUT BANNER 250	250	10.0	215	100'	36", 42", 50", 60"	3"	PET & PP	Porous	Matte		★	★
	BA130	BLOCK OUT BANNER 350	350	14.0	410	100'	36", 60"	3"	PET & PP	Porous	Matte		★	★
	BA300	M/P ROLL UP BANNER	170	6.8	225	100'	36", 50"	3"	White PET	M/P	Glossy			
	PH900	PP BANNER MATTE 205	205	8.2	130	100'	24", 36", 42", 50", 60"	3"	PP	Porous	Matte		★	★
	PMB600	M/P PHOTO PP GLOSSY 205	205	8.2	145	100'	36", 50", 60"	3"	PP	Porous	Glossy			
BACKLIT	BF600	BACKLIT FRONT MATTE WR 215	215	8.6	270	100'	36", 42" 50", 54", 60"	3"	PET	Porous	Matte		★	★
	BF700	M/P BACKLIT FRONT GLOSSY 215	215	8.6	285	100'	36", 60"	3"	PET	M/P	Glossy			
PSA (SELF ADHESIVE)	SE300	CLEAR ADHESIVE PP MATTE	185	7.4	175	100'	24", 36", 42", 50", 60"	3"	PP	Porous	Matte	√	★	★
	SE310	M/P CLEAR ADHESIVE PP GLOSSY	233	9.3	225	100'	24", 36", 42", 50", 60"	3"	PP	M/P	Glossy	√	★	★
	SE500	CLEAR ADHESIVE PVC VINYL MATTE	225	9.0	275	100'	24", 36", 42", 50", 60"	3"	PVC	Porous	Matte	√	★	★
TEXTILE	WT600G	EASY TEX SA (GREY)	330	13.2	315	100'	24", 36", 42", 60"	3"	PET Woven Fabric	Porous	Matte	√	★	★

## ■ LATEX MEDIA (HP latex ink based)

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt. (g/m <sup>2</sup> )	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe- sive	Latex Ink	UV Ink
			(µm)	(mil)										
PAPER	AE100	ECO-SOL ARTIST PAPER GLOSSY 230	195	7.8	230	164	36", 54", 60"	3"	PAPER	Resin	Glossy		Profile	★
	AE110	ECO-SOL ARTIST PAPER MATTE 230	195	7.8	230	164	36", 54", 60"	3"	PAPER	Resin	Matte		Profile	★
PHOTO PAPER	PH500	M/P PREMIUM GLOSSY PHOTO PAPER 240	250	10.0	240	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy		★	★
	PH600	M/P PREMIUM SATIN PHOTO PAPER 240	250	10.0	240	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin		★	★
	PH700	M/P PREMIUM GLOSSY PHOTO PAPER 190	186	7.4	190	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Glossy		★	★
	PH710	M/P PREMIUM SATIN PHOTO PAPER 190	192	7.7	190	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin		★	★
	PH730	M/P GLOSSY ADHESIVE PHOTO PAPER 190	259	10.4	280	100'	24", 36", 42", 60"	3"	Resin Coated Paper	M/P	Glossy	√	★	★
	PH740	M/P SATIN ADHESIVE PHOTO PAPER 190	265	10.6	280	100'	24", 36", 42", 50", 60"	3"	Resin Coated Paper	M/P	Satin	√	★	★
	SO110	SOLVENT GLOSSY PHOTO PAPER 235	225	9.0	235	100'	54", 60"	3"	Resin Coated Paper	Resin	Glossy		★	★
	SO220	SOLVENT SATIN PHOTO PAPER 235	225	9.0	235	100'	54", 60"	3"	Resin Coated Paper	Resin	Satin		★	★
DISPLAYING FILM	BA100	BLOCK OUT BANNER 250	250	10.0	215	100'	36", 42", 50", 60"	3"	PET & PP	Porous	Matte		Certif	★
	BA130	BLOCK OUT BANNER 350	350	14.0	410	100'	36", 60"	3"	PET & PP	Porous	Matte		Certif	★
	BA960	HI SMOOTH BLOCKOUT 250	250	10.0	350	164'	38", 54"	3"	PVC/PET	Resin	Matte		★	★
	ES420	DURATIN BLOCK OUT ROLL UP BANNER	260	10.4	245	100'	36", 50"	3"	PET&PP	Resin	Satin		Certif	★
	ES500	DURATIN SYNTH ROLL UP BANNER	205	8.2	170	100'	36", 50"	3"	PP	Resin	Satin		Certif	★
	PH900	PP BANNER MATTE 205	205	8.2	130	100'	24", 36", 42", 50", 60"	3"	PP	Porous	Matte		★	★
	SO400	ECO-SOL BLOCK OUT BANNER MATTE 340	340	13.6	420	100'	36", 60"	3"	PET&PP	Resin	Semi-matte		Certif	★
	SO420	SOLVENT BLOCK OUT BANNER MATTE 250	240	9.6	220	100'	36", 50", 54", 60"	3"	PET&PP	Resin	Semi-matte		Certif	★
	SO480	SOLVENT ROLL UP BANNER MATTE	160	6.4	225	100'	36", 50"	3"	WHITE PET	Resin	Matte		★	★
	SO490	SOLVENT SMOOTH ROLL UP BANNER MATTE	205	8.2	155	100'	36", 50"	3"	PP	Resin	Matte		Certif	★
	SO490W	SOLVENT SMOOTH ROLL UP BANNER MATTE WHITE	205	8.2	155	164'	36", 50", 54", 60"	3"	PP	Resin	Matte		Certif	★
SO510	SOLVENT PP BANNER MATTE	195	7.8	140	100'	36", 50", 54", 60"	3"	PP	Resin	Matte		★	★	
	BF600	BACKLIT FRONT MATTE WR 215	215	8.6	270	100'	36", 42" 50", 54", 60"	3"	PET	Porous	Matte		Profile	★

Category	Code	Product Description	Caliper		Wt. (g/m <sup>2</sup> )	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe -sive	Latex Ink	UV Ink
			(μm)	(mil)										
BACKLIT	ES680	ECO-SOL BACKLIT GLOSSY	210	8.4	285	100'	36", 54", 60"	3"	PET	Resin	Glossy		Profile	★
	ES690	GREEN BACKLIT	215	8.6	285	100'	54", 60"	3"	PET	Resin	Satin		Certif	★
	SO600	SOLVENT BACKLIT 200 MATTE	205	8.2	275	100'	36", 54", 60", 72", 87"	3"	PET	Resin	Matte		Certif	★
	SO650	SOLVENT BACKLIT 200 GLOSSY	205	8.2	275	100'	36", 54", 60", 72", 87"	3"	PET	Resin	Glossy		Profile	★
	SO800W	ECO SOL CLEAR PET BACKLIT	205	8.2	275	100'	50", 60"	3"	PET	Resin	Glossy		Certif	★
	TEU330	UV SKY BACKLIT	185	7.4	255	164'	36", 54", 60", 87"	3"	PET	UV	Matte		Certif	★
PSA (SELF ADHESIVE)	SE300	CLEAR ADHESIVE PP MATTE	185	7.4	175	100'	24", 36", 42", 50", 60"	3"	PP	Porous	Matte	√	★	★
	SE500	CLEAR ADHESIVE PVC VINYL MATTE	225	9.0	275	100'	24", 36", 42", 50", 60"	3"	PVC	Porous	Matte	√	★	★
	SM100	METALLIC FILM SA	150	6.0	190	100'	36", 60"	3"	PET	Resin	Semi-glossy	√	★	★
WINDOW FILM	SO820ST	SOLVENT SILICONE ADHESIVE CLEAR PET FILME	185	7.4	235	100'	36"	3"	PET	Resin	Clear	√	Profile	★
	SO830T	SOLVENT SEMI-TAC ADHESIVE CLEAR FILM	180	7.2	235	100'	50"	3"	PET	Resin	Clear	√	Profile	★
	SO830H	OPTICALLY CLEAR FLAT-ON DECO	180	7.2	240	100'	54"	3"	PET	Resin	Glossy	√	★	★
	ST500	HANJI TEX	225	9.0	188	100'	54"	3"	PET Woven Fabric	Resin	Semi-matte	√	★	★
	WF300	FROST FAT-ON DECO (WINDOW MIRROR LIGHT)	155	6.2	200	100'	54"	3"	PET	Resin	Matte	√	★	★
	WF400	WHITE FLAT-ON DECO (REPOSITIONABLE)	260	10.4	265	100'	54"	3"	pp	Resin	Semi-matte	√	★	★
	WF500	LIZARD TAC	280	11.2	220	100'	54"	3"	pp	Resin	Matte	√	★	★
TEXTILE	ST600G	ECO-SOL EASY TEX SA (GREY)	330	13.2	305	100'	36", 54", 60"	3"	PET Woven Fabric	Resin	Matte	√	★	★
	WT600G	EASY TEX SA (GREY)	330	13.2	315	100'	24", 36", 42", 60"	3"	PET Woven Fabric	Porous	Matte	√	★	★
CANVAS	SCSM	POLY/COTTON SEMI-MATTE CANVAS	388	15.5	296	75'	36", 54", 60", 72"	3"	POLY/Cotton	Resin	Semi-matte		★	★

❖ For profile download, visit HP Media solution locator at [www.hp.com/go/mediasolutionslocator](http://www.hp.com/go/mediasolutionslocator) and select Natura Media as a supplier.

## UV-CURABLE MEDIA

(HP 3G Latex & UV-curable ink work well : ★)

Category	Code	Product Description	Caliper		Wt. (g/m <sup>2</sup> )	Length (ft)	Standard Width (Inch)	Core Inch	Base Material	Coating	Surface	Adhe -sive	Latex Ink	UV Ink
			(μm)	(mil)										
BACKLIT	SH400	UV CLEAR BACKLIT	175	7.0	245	150'	60", 72"	3"	PET	UV	Glossy			★
	SK800	UV SKY BACKLIT Glossy	185	7.4	255	164'	36", 54", 60", 72", 87"	3"	PET	UV	Glossy		★	★
	TEU330	UV SKY BACKLIT Matte	185	7.4	255	164'	36", 54", 60", 72", 87"	3"	PET	UV	Matte		★	★
BANNER	SK200W	SKY SMOOTH ROLL UP (Two side printable)	170	6.8	130	300'	54", 63"	3"	PP	UV & LATEX	Matte		Profile	★
	SK300	SKY BLOCK OUT 210	220	8.8	195	100'	36", 54", 60"	3"	PET&PP	LATEX & UV	Matte		Profile	★
WINDOW FILM	USO850	UV SEMI-TAC CLEAR PET FILM	96	3.8	125	164'	54", 60"	3"	PET	UV	Glossy	√		★
	USO850SR	UV SEMI-TAC CLEAR PET FILM SR	100	4.0	128	164'	60", 72"	3"	PET	UV	Glossy	√		★
	WF300	FROST FAT-ON DECO (WINDOW MIRROR LIGHT)	155	6.2	200	100'	54"	3"	PET	UV & LATEX	Matte	√	★	★

❖ This section is UV-printable only media. Most of Solvent-based media are UV-curable media as well.

ⓘ This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Some of the properties can be changed as a result of supplier's effort to improve the quality or production efficiency on the subject.



Natura Media Inc. (HQ, Korea)  
Tel: +82-2-3788-0396  
Email: sales@naturamedia.co.kr



Natura Media USA  
1750 Lakes Pkwy, Lawrenceville, GA 30043  
Tel: +1 (470) 359-2111, Email: sales@naturamedia.us  
[www.NaturaMedia.US](http://www.NaturaMedia.US)